

TOPIC: SIMPLIFYING RATIONAL EXPRESSIONS

Intro to Rational Expressions

New

$$\frac{P}{Q}$$

◆ A **rational expression** has a _____ in the numerator (P) & denominator (Q):

► Recall: The denominator of a fraction *cannot* be _____.

Recall	Rational Number	New	Rational Expression
	Quotient of two [INTEGERS POLYNOMIALS] $\frac{11}{35}$ ≠ 0		Quotient of two [INTEGERS POLYNOMIALS] $\frac{4x}{x-2}$ ≠ 0; x cannot be _____

◆ To find where *any* rational expression is _____, set the denominator equal to zero and solve for x .

EXAMPLE

For the expression $\frac{x-1}{2x-6}$, answer the following.

(A) Find the x -value(s) for which it is undefined.

(B) Evaluate at $x = 2$.

TOPIC: SIMPLIFYING RATIONAL EXPRESSIONS

PRACTICE

For which value(s) of x is the rational expression undefined?

(A)

$$\frac{5}{x}$$

(B)

$$\frac{7}{x-3}$$

(C)

$$\frac{x+1}{x^2-9}$$

PRACTICE

Evaluate the rational expression for the given value of x .

(A)

$$\frac{12}{x+3}, \quad x = -1$$

(B)

$$\frac{x^2-4}{x^2-x-6}, \quad x = 2$$

(C)

$$\frac{3x}{x^2+x-6}, \quad x = -2$$

TOPIC: SIMPLIFYING RATIONAL EXPRESSIONS

PRACTICE

Determine the domain of the function $h(x)$.

$$h(x) = \frac{x^2 - 2x - 8}{x^2 - 5x + 4}$$

PRACTICE

Given the function below, evaluate $f(2)$.

$$f(x) = \frac{3}{11 - x}$$

PRACTICE

Given the function below, evaluate $f(2)$.

$$f(x) = \frac{3x + 4}{x^2 + 7x + 20}$$

TOPIC: SIMPLIFYING RATIONAL EXPRESSIONS

Simplifying Rational Expressions

◆ To simplify a rational expression, _____ numerator & denominator completely and _____ common factors.

Recall	Simplify Rational #s	New	Simplify Rational Expressions
	$\frac{28}{35}$		$\frac{28x^3}{35x^5}$
	Factor completely: $\frac{7 \cdot 4}{7 \cdot 5}$		Factor completely:
	Cancel common factors: $\frac{\cancel{7} \cdot 4}{\cancel{7} \cdot 5}$		Cancel common factors:
	Simplified answer: $\frac{4}{5}$		Simplified answer:

EXAMPLE

Simplify the following expressions.

(A)
$$\frac{(x+2)(x-2)}{(x+6)(x+2)}$$

(B)
$$\frac{x-5}{3x^2-15x}$$

TOPIC: SIMPLIFYING RATIONAL EXPRESSIONS

PRACTICE

Simplify the rational expression by factoring.

(A)

$$\frac{6x}{12x}$$

(B)

$$\frac{x^2 - 9}{x^2 - 3x}$$

(C)

$$\frac{x^2 - 4x}{x^2 - 2x - 8}$$

PRACTICE

Simplify each expression.

(A)

$$\frac{x - 7}{7 - x}$$

(B)

$$\frac{x^2 - 10x + 24}{(4 - x)(6 - x)}$$

TOPIC: SIMPLIFYING RATIONAL EXPRESSIONS

EXAMPLE

Write three equivalent expressions of the rational expression below:

$$\frac{-x^2 + 4x}{x^2 - 2x}$$

EXAMPLE

Which of the following rational expressions is equal to -5 ?

(A) $\frac{10x}{2x}$

(B) $\frac{25 - 5x}{x}$

(C) $-\frac{15x}{3(-x)}$

(D) $\frac{20 - 5x}{(x - 4)}$

PRACTICE

Simplify the rational expression below:

$$\frac{x^2 + 5x + 6}{x^2 + 7x + 10}$$